


Rheumatology Enrollment Form	Y Medical Associates Fax Referral To: 855-838-0623 Phone: 800-447-7558	
Date: _____		
<input type="checkbox"/> Current Patient <input type="checkbox"/> New Patient		

Patient Information	Prescriber Information
Patient Name: _____	Prescriber Name: _____
Address: _____	Address: _____
City, State, Zip: _____	City, State, Zip: _____
Home Phone: _____	Phone: _____
Cell Phone: _____	Fax: _____
Alternate Phone: _____	DEA: _____ NPI #: _____
DOB: _____ Gender: <input type="checkbox"/> M <input type="checkbox"/> F	Contact Person: _____

Insurance Information		
Primary Insurance: _____	ID#: _____	Group: _____
Secondary Insurance: _____	ID#: _____	Group: _____
Prescription Card: _____	ID#: _____	BIN#: _____ PCN#: _____ Group: _____


Clinical Information (Please fax all pertinent clinical and lab information)	
<input type="checkbox"/> M06.9 (Rheumatoid Arthritis) <input type="checkbox"/> M08.0 (Juvenile Idiopathic Arthritis) <input type="checkbox"/> L40.59 (Psoriatic Arthritis) <input type="checkbox"/> L40.54 (Psoriatic Juvenile Arthritis) <input type="checkbox"/> M45.9 (Ankylosing Spondylitis) <input type="checkbox"/> M32.9 (Systemic Lupus Erythematosus) <input type="checkbox"/> Other: _____	
Diagnosis Date: _____	

Diagnosis and Clinical Assessment (Fill in below or attach lab work)	
Primary Diagnosis Code & Condition: _____	Joints Affected: _____
Number of Tender Joints: _____	Number of Swollen Joints: _____
Current Weight: _____	Date: _____
<input type="checkbox"/> New Therapy Induction Stop Date: _____ <input type="checkbox"/> Therapy Change Stop Date: _____ <input type="checkbox"/> Therapy Continuation Stop Date: _____ <input type="checkbox"/> Weeks Completed: <input type="checkbox"/> 0 <input type="checkbox"/> 2 <input type="checkbox"/> 4 <input type="checkbox"/> 6	
Allergies: _____	
TB Results & Date (Please provide copy of result): _____	
<input type="checkbox"/> Bone Density Score & Date (Please provide a copy of results): _____	

Medication	Dose Strength	Directions	Qty	Refills
Actemra	<input type="checkbox"/> Prefilled Syringe 162mg/0.9mL <input type="checkbox"/> Auto Injector 162mg/0.9mL	<input type="checkbox"/> <100kg Inject 162mg/0.9mL SC every 2 weeks <input type="checkbox"/> >100kg Inject 162mg/0.9mL SC every week		
Benlysta	<input type="checkbox"/> 10mg/kg <input type="checkbox"/> 200mg PFS <input type="checkbox"/> 200mg Autoinjector	<input type="checkbox"/> IV Starter Dose: Infuse 10mg/kg every 2 weeks for 3 doses <input type="checkbox"/> IV Maintenance: Inject 10mg/kg every 4 weeks <input type="checkbox"/> Inject 200mg SC once weekly (if switching from IV administer first SC dose 1-4 weeks after last IV dose)		
Cimzia	<input type="checkbox"/> Starter Kit <input type="checkbox"/> Syringe <input type="checkbox"/> Vial	<input type="checkbox"/> Starter Dose: Inject 400mg SC on week 0, 2, and 4 <input type="checkbox"/> Maintenance Dose: Inject 200mg SC every 2 weeks <input type="checkbox"/> Maintenance Dose: Inject 400mg SC once a month		
Cosentyx	<input type="checkbox"/> 150mg Sensoready Pen <input type="checkbox"/> 300mg Sensoready Pen	<input type="checkbox"/> Starter Dose: Inject 150mg SC on week 0, 1, 2, 3, and 4 <input type="checkbox"/> Maintenance: Inject 150mg SC every 4 weeks <input type="checkbox"/> Starter Dose: Inject 300mg SC on week 0, 1, 2, 3, and 4 <input type="checkbox"/> Maintenance: Inject 300mg SC every 4 weeks	<input type="checkbox"/> 5 <input type="checkbox"/> 1 <input type="checkbox"/> 10 <input type="checkbox"/> 2	
Enbrel	<input type="checkbox"/> 25mg Syringe <input type="checkbox"/> 0.25mg Vial <input type="checkbox"/> 50mg Syringe <input type="checkbox"/> 50mg SureClick Pen <input type="checkbox"/> Mini 50mg/mL	<input type="checkbox"/> Inject 50mg SC every week <input type="checkbox"/> Inject _____ mg(0.8mg/kg x _____ kg) SC every week		
Evenity	<input type="checkbox"/> 105mg/1.17mL	<input type="checkbox"/> Inject 2 syringes (105mg each) for total dose of 210mg SQ once monthly	<input type="checkbox"/> 2	
Forteo	<input type="checkbox"/> 600mcg/2.4mL PFS	<input type="checkbox"/> Maintenance: Inject 20mcg SC once daily	<input type="checkbox"/> 1	
Humira	<input type="checkbox"/> 10mg Syringe <input type="checkbox"/> 20mg Syringe <input type="checkbox"/> 40mg/0.4mL Syringe <input type="checkbox"/> 40mg/0.4mL Pen	<input type="checkbox"/> Inject 10mg SC every other week (10 to <15kg) <input type="checkbox"/> Inject 20mg SC every other week (15 to <30kg) <input type="checkbox"/> Inject 40mg SC every other week (30kg) <input type="checkbox"/> Inject 40mg SC once weekly		

Prescriber Signature: _____	DAW (Dispense as Written) Date: _____
-----------------------------	---

If Y Medical is the patient's choice for Home or On-Site Infusion Services, please Call, Fax, Mail or send an Electronic Prescription to:
Y Medical 8840 N MacArthur Blvd Irving, TX 75063 • Phone (800) 447-7558, Fax (855) 838-0623

Rheumatology Enrollment Form	Y Medical Associates Fax Referral To: 855-838-0623 Phone: 800-447-7558	
Date: _____		
<input type="checkbox"/> Current Patient <input type="checkbox"/> New Patient		

Patient Information	Prescriber Information
Patient Name: _____	Prescriber Name: _____
Address: _____	Address: _____
City, State, Zip: _____	City, State, Zip: _____
Home Phone: _____	Phone: _____
Cell Phone: _____	Fax: _____
Alternate Phone: _____	DEA: _____ NPI #: _____
DOB: _____ Gender: <input type="checkbox"/> M <input type="checkbox"/> F	Contact Person: _____


Insurance Information		
Primary Insurance: _____	ID#: _____	Group: _____
Secondary Insurance: _____	ID#: _____	Group: _____
Prescription Card: _____	ID#: _____	BIN#: _____ PCN#: _____ Group: _____

Clinical Information (Please fax all pertinent clinical and lab information)
<input type="checkbox"/> M06.9 (Rheumatoid Arthritis) <input type="checkbox"/> M08.0 (Juvenile Idiopathic Arthritis) <input type="checkbox"/> L40.59 (Psoriatic Arthritis) <input type="checkbox"/> L40.54 (Psoriatic Juvenile Arthritis) <input type="checkbox"/> M45.9 (Ankylosing Spondylitis) <input type="checkbox"/> M32.9 (Systemic Lupus Erythematosus) <input type="checkbox"/> Other: _____ Diagnosis Date: _____

Diagnosis and Clinical Assessment (Fill in below or attach lab work)
Primary Diagnosis Code & Condition: _____ Joints Affected: _____ Number of Tender Joints: _____ Number of Swollen Joints: _____ Current Weight: _____ Date: _____ <input type="checkbox"/> New Therapy Induction Stop Date: _____ <input type="checkbox"/> Therapy Change Stop Date: _____ <input type="checkbox"/> Therapy Continuation Stop Date: _____ <input type="checkbox"/> Weeks Completed: <input type="checkbox"/> 0 <input type="checkbox"/> 2 <input type="checkbox"/> 4 <input type="checkbox"/> 6 Allergies: _____ TB Results & Date (Please provide copy of result): _____ <input type="checkbox"/> Bone Density Score & Date (Please provide a copy of results): _____

Medication	Dose Strength	Directions	Qty	Refills
Kevzara	<input type="checkbox"/> 150mg/1.14mL PFS <input type="checkbox"/> 200mg/1.14mL Pen	<input type="checkbox"/> Inject 200mg SC once every 2 weeks <input type="checkbox"/> Other: _____		
Krystexxa	<input type="checkbox"/> 8mg/mL	<input type="checkbox"/> Infuse 8mg in 250mL of NS over 120 minutes once every 2 weeks		
Olumiant	<input type="checkbox"/> 2mg Tablet <input type="checkbox"/> 1mg Tablet	<input type="checkbox"/> Take one tablet PO daily		
Orencia	<input type="checkbox"/> 125mg Pen <input type="checkbox"/> 250mg Vial <input type="checkbox"/> 125mg Pen Syringe	<input type="checkbox"/> IV Dosage: Infuse _____mg at weeks 0, 2, 4 then every 4 weeks thereafter <input type="checkbox"/> SC Dosage: Inject 125mg SC once a week		
Otezla	<input type="checkbox"/> Starter Pack <input type="checkbox"/> 30mg Tablet	<input type="checkbox"/> Starter Pack: Use as directed <input type="checkbox"/> Maintenance Dose: Take one tablet PO BID		
Prolia	<input type="checkbox"/> 60mg PFS	<input type="checkbox"/> Inject 1 syringe SC every 6 months		
<input type="checkbox"/> Avsola <input type="checkbox"/> Inflectra <input type="checkbox"/> Remicade <input type="checkbox"/> Renflexis	<input type="checkbox"/> 100mg Vial	<input type="checkbox"/> Loading Dose: Infuse 5mg/kg at weeks 0, 2, & 6 <input type="checkbox"/> Maintenance Dose: Infuse 5mg/kg every 8 weeks		
Rinvoq	<input type="checkbox"/> 15mg	<input type="checkbox"/> Take 1 tablet PO daily		
<input type="checkbox"/> Rituxan <input type="checkbox"/> Truxima	<input type="checkbox"/> 100mg Vial <input type="checkbox"/> 500mg Vial	<input type="checkbox"/> Infuse 1000mg on day 1 and day 15		

Prescriber Signature: _____	DAW (Dispense as Written) Date: _____
-----------------------------	--

Rheumatology Enrollment Form	Y Medical Associates Fax Referral To: 855-838-0623 Phone: 800-447-7558	
Date: _____		
<input type="checkbox"/> Current Patient <input type="checkbox"/> New Patient		

Patient Information	Prescriber Information
Patient Name: _____	Prescriber Name: _____
Address: _____	Address: _____
City, State, Zip: _____	City, State, Zip: _____
Home Phone: _____	Phone: _____
Cell Phone: _____	Fax: _____
Alternate Phone: _____	DEA: _____ NPI #: _____
DOB: _____ Gender: <input type="checkbox"/> M <input type="checkbox"/> F	Contact Person: _____

Insurance Information		
Primary Insurance: _____	ID#: _____	Group: _____
Secondary Insurance: _____	ID#: _____	Group: _____
Prescription Card: _____	ID#: _____	BIN#: _____ PCN#: _____ Group: _____

Clinical Information (Please fax all pertinent clinical and lab information)
<input type="checkbox"/> M06.9 (Rheumatoid Arthritis) <input type="checkbox"/> M08.0 (Juvenile Idiopathic Arthritis) <input type="checkbox"/> L40.59 (Psoriatic Arthritis) <input type="checkbox"/> L40.54 (Psoriatic Juvenile Arthritis) <input type="checkbox"/> M45.9 (Ankylosing Spondylitis) <input type="checkbox"/> M32.9 (Systemic Lupus Erythematosus) <input type="checkbox"/> Other: _____ Diagnosis Date: _____

Diagnosis and Clinical Assessment (Fill in below or attach lab work)
Primary Diagnosis Code & Condition: _____ Joints Affected: _____
Number of Tender Joints: _____ Number of Swollen Joints: _____ Current Weight: _____ Date: _____
<input type="checkbox"/> New Therapy Induction Stop Date: _____ <input type="checkbox"/> Therapy Change Stop Date: _____ <input type="checkbox"/> Therapy Continuation Stop Date: _____ <input type="checkbox"/> Weeks Completed: <input type="checkbox"/> 0 <input type="checkbox"/> 2 <input type="checkbox"/> 4 <input type="checkbox"/> 6
Allergies: _____
TB Results & Date (Please provide copy of result): _____
<input type="checkbox"/> Bone Density Score & Date (Please provide a copy of results): _____

Medication	Dose Strength	Directions	Qty	Refills
Simponi/Simponi Aria	<u>Simponi:</u> <input type="checkbox"/> SmartJect 50mg/0.5mL <input type="checkbox"/> 50mg/0.5mL PFS <u>Simponi Aria:</u> <input type="checkbox"/> 50mg/4mL Vial	<u>Simponi:</u> <input type="checkbox"/> Inject 50mg SC once per month <u>Simponi Aria:</u> <input type="checkbox"/> Infuse _____mg(2mg/kg) IV over 30 minutes at 0 and 4 weeks, then every 8 weeks		
Stelara	<input type="checkbox"/> 45mg/0.5mL PFS <input type="checkbox"/> 90mg/mL PFS	<input type="checkbox"/> Inject 45mg SC on Day 1 (<100kg) <input type="checkbox"/> Inject 90mg SC on day 1 (>100kg) <input type="checkbox"/> Inject 45mg SC on Day 29 and every 12 weeks thereafter (<100kg) <input type="checkbox"/> Inject 90mg SC on Day 29 and every 12 weeks thereafter (>100kg)		
Taltz	<input type="checkbox"/> 80mg/mL Autoinjector	<input type="checkbox"/> Starter Dose: Inject 160mg SC on Day 1 <input type="checkbox"/> Maintenance: Inject 80mg SC every 4 weeks		
Tymlos	<input type="checkbox"/> 80mcg/0.04mL	<input type="checkbox"/> Inject 80mcg SC once daily into periumbilical region; give with supplemental calcium and vitamin D if dietary intake is not adequate	<input type="checkbox"/> 1-Prefilled Pen	
Xeljanz/XR	<u>Xeljanz:</u> <input type="checkbox"/> 5mg Tablet <u>Xeljanz XR:</u> <input type="checkbox"/> 11mg Tablet	<u>Xeljanz:</u> <input type="checkbox"/> Take one tablet twice daily <u>Xeljanz XR:</u> <input type="checkbox"/> Take one tablet once daily	<input type="checkbox"/> 60 <input type="checkbox"/> 30	

Prescriber Signature: _____	DAW (Dispense as Written) Date: _____
-----------------------------	--