

IG and General Immune Disorders Enrollment Form	Y Medical Associates Fax Referral To: 855-838-0623 Phone: 800-447-7558	
Date: _____		

PATIENT INFORMATION Patient Name: _____ Address: _____ City, State, Zip: _____ Home Phone: _____ Cell Phone: _____ Date of Birth: _____ Gender: <input type="checkbox"/> M <input type="checkbox"/> F	PRESCRIBER INFORMATION Prescriber Name: _____ Address: _____ City, State, Zip: _____ Phone: _____ Fax: _____ DEA#: _____ Contact Person: _____ NPI#: _____
---	--

INSURANCE INFORMATION (Please attach the front and back of insurance and prescription drug card)					
Primary Insurance: _____	ID#: _____	Group: _____	Secondary Insurance: _____	ID#: _____	Group: _____
Prescription Card: _____	ID#: _____	BIN: _____	PCN: _____	Group: _____	

DIAGNOSIS (ICD-10) Neurological <input type="checkbox"/> G61.81 Chronic Inflammatory Demyelinating Polyneuropathy (CIDP) <input type="checkbox"/> G61.82 Multifocal Motor Neuropathy (MMN) <input type="checkbox"/> G61.0 Guillain-Barre <input type="checkbox"/> G25.82 Stiff-Person Syndrome <input type="checkbox"/> G35 Multiple Sclerosis <input type="checkbox"/> G70.01 Myasthenia Gravis w/Exacerbation <input type="checkbox"/> Other: _____	Immunological <input type="checkbox"/> Primary Immune Deficiency – <i>Please specify ICD-10 Code:</i> _____ <input type="checkbox"/> D80.9 Deficiency of Humoral Immunity <input type="checkbox"/> D83.9 Common Variable Immunodeficiency <input type="checkbox"/> D89.9 Immune Mechanism Disorder <input type="checkbox"/> D81.9 Immune Deficiency NOS <input type="checkbox"/> D69.3 Idiopathic Thrombocytopenia <input type="checkbox"/> D80.1 Hypogammaglobulinemia <input type="checkbox"/> Other: _____
--	--

CLINICAL INFORMATION (Please attach all clinical information, lab results, and other medical history documents)					
Patient Weight: _____ Kg/Lbs	Height: _____ Inches/CM	Allergies: _____			
Has patient previously received IG	<input type="checkbox"/> Yes <input type="checkbox"/> No	Line Access: <input type="checkbox"/> PIV <input type="checkbox"/> PICC <input type="checkbox"/> PORT			

Medication	Dose	Directions
Intravenous <input type="checkbox"/> IVIg _____ <input type="checkbox"/> Pharmacy Recommendation	_____ grams OR _____ gram(s) per kg <i>(Pharmacy to round to nearest vial size)</i> Infuse total dose OVER _____ day(s); Every _____ week(s) for: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> 6 months <input type="checkbox"/> 12 months <input type="checkbox"/> Other: _____	Infuse total dose of Immunoglobulin intravenously based on manufacturer recommend infusion rate as tolerated. Infuse via: <input type="checkbox"/> Gravity <input type="checkbox"/> Infusion Pump Excludes Medicare D

Medication	Dose	Directions
Subcutaneous <input type="checkbox"/> SC Ig _____ <input type="checkbox"/> Pharmacy Recommendation	_____ grams OR _____ gram(s) per kg <i>(Pharmacy to round to nearest vial size)</i> Infuse total dose OVER _____ day(s); Every _____ week(s) for: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> 6 months <input type="checkbox"/> 12 months <input type="checkbox"/> Other: _____	Infuse total dose of Immunoglobulin subcutaneously in one or more infusion sites via infusion pump based on manufacturer recommend infusion rate as tolerated. Other: _____

Labs baseline and then every 6 months: BUN/Creatinine (recommended) Premedication to be given 30 minutes prior to infusion: <input type="checkbox"/> Diphenhydramine IV or PO 25 mg or 50 mg Please circle route and dose <input type="checkbox"/> Acetaminophen 325mg or 650 mg Please circle dose <input type="checkbox"/> Ketorolac 30mg Slow IV-Push – 30mg/ml vial #1 per dose <input type="checkbox"/> Other: _____ IV Access Flush Order: (Infusion supplies per pharmacy protocol) NaCl 0.9% 5-10ml IV before and after infusion Heparin 10 units/ml 3-5ml IV after infusion for PICC/Midline and PRN Heparin 100 units/ml 3-5ml IV after infusion for Port and PRN All infusion supplies necessary to administer the medication	Anaphylaxis Orders and Medications Diphenhydramine Administer 25 mg slow IV/IM may repeat x1 Dispense: 1 x 50 mg vial Epinephrine <input type="checkbox"/> Administer 0.3mg (1:1000) Sub-Q (≥ 30 Kg) <input type="checkbox"/> Administer 0.15mg (1:2000) Sub-Q (< 30 Kg) Dispense: 1 package Sodium Chloride 0.9% Use to maintain IV line, prevent or treat hypotension in case of anaphylaxis Dispense: QS
---	--

By signing below, I certify that above therapy is medically necessary. Prescriber's Signature (SIGN BELOW)			
_____	_____	_____	_____
Dispense as Written	Date	Substitution Allowed	Date

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intend recipient, please notify us immediately.